The D. MOORE CO. Ltd.

Iron Founders and Importers.

HAMILTON, ONT.

SUPPLEMENT

To Catalogue and Price List.

"SUPERIOR"
STOVES AND RANGES
HOLLOW-WARE, ETG.

MANITOBA & NORTH-WEST AGENCY,
MERRICK, ANDERSON & CO.,

WINNIPEG, MAN.

Please Attach this to our Catalogue of 1888 9.




1889-1890.

SUPPLEMENT

GO WHOLESALE PRICE LIST OF

SUPERIOR STOVES, RANGES,

Hollow-Ware, &c.



MANUFACTURED BY

The D. MOORE CO. (Ltd.)

HAMILTON, ONTARIO.

21-88760

TO THE TRADE.

E beg to present you with this Supplementary Illustrated Price List for 1889, to be taken along with our Stove Catalogue for 1888-9, showing together our entire and very extensive variety.

We have added many new and desirable features to our lines, which cannot fail to meet with appreciation and ready acceptance at the hands of the trade.

Special attention is invited to our new Round Heater, one of the most powerful Double Heating Stoves in the world, called the

"RIVERSIDE OAK"

for full particulars see page 24, also separate circulars.

Improvements have also been made in our

"BURLINGTON" Sheet Iron Surface Burner,

which is now the most perfect Heater of this class of stove in the market.

Note also the very desirable changes in our "MAYFLOWER" Coal Cook,

"FLORIDA" Wood Cook,

"BRITANNIA" Wood Cook,

"WINNER" Wood Cook,

all of which have been fitted with Bracket Jamb Reservoirs, so that the Reservoir Stove can be supplied with or without the Warming Closet as may be desired.

Thanking our friends and the Trade generally for past favors, we are,

Respectfully,

The D. MOORE CO. (Limited.)

TERMS.

FOUR MONTHS, dating from end of month in which goods are shipped. All accounts to be settled by note or cash.

Goods supplied during the months of July, August and September will date as 30th September—4 mo.

TRADE DISCOUNT.

ration) on one, unless

following following

renewals

ng carriers'

In cases of "breakage in transit," customers will please notify us immediately upon the arrival of such, giving a full description of parts broken.

All orders received for Cook Stoves and Ranges will be supplied with full sets of Hollow-ware, i. e., 2 Pots and 1 Spider, unless otherwise ordered.

We ship no goods on "commission," or to be paid for when sold.

121-88760

TO THE TRADE.

E beg to present you with this SUPPLEMENTARY ILLUSTRATED PRICE LIST for 1889, to be taken along with our Stove Catalogue for 1888-9, showing together our entire and very extensive variety.

We have added many new and desirable features to our lines, which cannot fail to meet with appreciation and ready acceptance at the hands of the trade

Special attention most powerful Doubl

for full particulars se

Improvements 1

"BURL

which is now the market.

Note also the "MAYFLOWER"

"FLOI

"BRITANNIA" Wood Cook,

"WINNER" Wood Cook,

all of which have been fitted with Bracket Jamb Reservoirs, so that the Reservoir Stove can be supplied with or without the Warming Closet as may be desired.

Thanking our friends and the Trade generally for past favors, we are,

Respectfully,

The D. MOORE CO. (Limited.)

0113,2

TERMS.

FOUR MONTHS, dating from end of month in which goods are shipped. All accounts to be settled by note or cash.

Goods supplied during the months of July, August and September will date as 30th September—4 mo.

FREIGHT will be allowed to customers' nearest railway station or steamboat landing (providing steamboat service is in operation) on Stoves and Hollow-ware, but not on repairs when shipped alone, unless in lots of 200 lbs. or over.

CASH DISCOUNT within thirty days from 1st of month following shipment, 6%; within sixty days, 4%; within ninety days, 2%. Under no circumstance will these discounts be allowed if the specified time is exceeded. The amount of freight must in all cases be deducted before cash discount is calculated.

INTEREST at the rate of 8% will be charged on all renewals and overdue accounts.


All goods are shipped at "owners' risk," and after receiving carriers' receipt "in good order," our responsibility ceases.

In cases of "breakage in transit," customers will please notify us immediately upon the arrival of such, giving a full description of parts broken.

All orders received for Cook Stoves and Ranges will be supplied with full sets of Hollow-ware, i. e., 2 Pots and 1 Spider, unless otherwise ordered.

We ship no goods on "commission," or to be paid for when sold.

FOR COAL OR WOOD.



Low Closet and Reservoir.—(Style E).

	\$	43	55	
" 9		49	30	
EXTRAS.				
High Warming Closet (for No. 9 only)	\$	11	75	
High Shelf (for Nos. 8 and 9)		3	50	
Tea Shelf (for Nos, 8 and 9)		I	50	
Water Front (for Nos. 8 and 9)		3	35	
Brass Couplings for Water Fronts		I	45	
Smyth's Patent "Happy Thought" Grate		I	00	



Low Closet.—(Style F).

No. 8—With Swing Shelf	\$ 36	75	
" 9- " " " …	42	25	
EXTRAS.			
High Warming Closet (for No. 9 only)	\$ II	75	
High Shelf (for Nos. 8 and 9)	3	50	
Tea Shelf (for Nos. 8 and 9)	I	50	
Water Front (for Nos. 8 and 9)	3	35	
Brass Couplings for Water Fronts,	I	45	
Smyth's Patent "Happy Thought" Grate	I	00	



Single Oven and Reservoir.—(Style G).

	Pr	ice.
No. 8—With Fancy Base	\$ 37	20
" 9— " " "	41	65.
EXTRAS.		
LAIRAS.		
High Warming Closet (for No. 9 only)	\$ II	75
High Shelf (for Nos. 8 and 9)	3	50
Tea Shelf (for Nos 8 and 9)	I	50
Water Front (for Nos. 8 and 9)	3	35
Brass Couplings for Water Fronts	I	45
Smyth's Patent "Happy Thought" Grate	I	00



Single Oven.—(Style H).

	Pric	ce.
No. 8-With Swing Shelf and Fancy Base	\$ 30	35
" 9— " "	34	65
EXTRAS.		
II' 1 III to the contract of t		
High Warming Closet (for No. 9 only)	\$ II :	75
High Shelf (for Nos. 8 and 9)	3	50
Tea Shelf (for Nos. 8 and 9)	I	50
Water Front (for Nos. 8 and 9)	3 ;	35
Brass Couplings for Water Fronts	I	45
Smyth's Patent "Happy Thought" Grate	I (

FOR COAL OR WOOD.



Single Oven, Reservoir (Style G), and High Shelf.

No. 8—With Fancy Base " 9— " " "	\$ 40	ice. 70 15
EXTRAS.		
Water Fronts (for Nos. 8 and 9)	\$ 3	35
Brass Couplings for Water Fronts	I	45

Smyth's Patent "Happy Thought" Grate.....

I 00



Single Oven, Reservoir (Style G), and High Closet.

No. 9—With Fancy Base	\$	53	40
EXTRAS.			
Water Fronts	\$	3	35
Brass Couplings for Water Fronts		1	45
Smyth's Patent "Happy Thought" Grate		I	00

GENERAL DIRECTIONS

FOR PUTTING UP AND USING STOVES.

T will be admitted that too much care cannot be taken in having the pipe well fitted to the stove. Unless the chimney possesses sufficient flue space and height, no stove, however perfectly it may be made or however large the flues, can possibly operate satisfactorily. It is the chimney alone that furnishes the draft, and not the stove (as many suppose), and, therefore, all openings in the flues of the chimney must be tightly closed, and care should be taken not to push the pipe so far into the flue as to obstruct the draft. Always have a damper in the pipe. In the ordinary use of a stove it is expected that the damper in the pipe will be kept only partially closed. This is to check the current that goes through the fire and carries the heat to the chimney.

GENERAL DIRECTIONS FOR USING COAL AND WOOD COOKING STOVES AND RANGES.

To kindle the fire, open the damper in the pipe, open the lower draft damper in the Stove or Range, and also open the upper top damper in rear of Stove. When the fire has well kindled, close the upper top damper in rear of the Stove, and the heat will then pass around and under the oven. When your oven has become heated, close the draft damper partly and also partly close the damper in the pipe. Be sure that the door to flues is in its place and tightly closed.

SUGGESTIONS AND DIRECTIONS FOR BURNING ANTHRACITE COAL IN COOKING STOVES AND RANGES.

- 1. See that all is right in regard to draft, for it will be difficult, especially with a descending flue, to burn hard coal with a poor draft. If the fire does not burn freely with the back damper closed, and articles placed in the oven do not bake thoroughly upon the underside, then there is a deficiency in the draft, the cause of which must be searched out
- 2. To start a coal fire: Take wood cut small and short, or a very little charcoal broken to the size of large walnuts; ignite this at both ends and put on about two inches of hard coal, and the whole will soon be ignited.
- 3. To manage and regulate a coal fire: When the fire is new, or when it has been recently replenished, keep the draft damper so nearly

closed that a moderate heat shall be maintained. The fire in no case should be allowed to burn at a white heat. But a very valuable aid, in connection with the proper use of the draft damper, is a damper in the pipe. In the ordinary use of a stove it is expected that a damper in the pipe will be kept only partially closed. This is to check the current that goes through the fire and carries the heat to the chimney. It is passing air through the fire that burns out the fuel. To burn coal to the greatest advantage, the fire should be supplied often, but with only a single layer at a time, as when the fire gets too low it takes time to bring it up again.

- 4. Care should be taken not to crowd the fire chamber with coal, and at no time when in use should the fuel be piled above the linings. In all Coal Stoves or Ranges, a small, bright fire is the best for baking purposes, and for heating water in reservoir quickly.
- 5. In using hard coal as the fuel, oven will not heat up as quickly, especially at the bottom, as with wood. Therefore, previous to baking have the fire in such a state that the oven bottom will become sufficiently heated by the time the articles are ready to be set in. Some housekeepers act upon the idea that a large addition of fuel will cause increased combustion, and consequently develop additional warmth. This is an expensive mistake; it is only smothering and retarding the fire to put on a thick layer of coal, or, as some do, fill the fire box from a layer of two inches of ignited coal to its utmost capacity with fresh fuel. No more coal should be put on the fire at one time than will readily ignite.
- 6. To bake, or heat water in reservoir, be particular to see that the grate is free from ashes on the bottom fifteen minutes before putting articles in the oven. You may heat the top and covers of any coal stove "red hot," but if the grate is clogged with ashes there will be no circulation of heat around the flues of the stove, and as a consequence, baking cannot be done, and water in the reservoir will not heat. In all coal stoves a small, bright, new fire is the best for baking purposes and for heating water in reservoir quickly.
- 7. Size of coal: Use stove size, or stove and chesnut mixed, and never fill the fire box too full.
- 8. The ashes in the flues of all coal and wood cooking stoves and ranges, and all heating stoves for coal and wood, should be cleaned out at least once a month.

MAYFLOWER.


FOR HARD COAL OR WOOD.



		Price.
No.	8—Square, with Legs	\$ 23 00
46	8_ " Fancy Base	24 20
46	9— " Legs	26 20
66	9— " Fancy Base	27 80
66	9-Reservoir and Low Shelf, with Legs	
66	9— " Fancy Base	
66	9-Reservoir and Low Closet, with Legs	36 25
46	9- " " Fancy Base	37 80

BERMUDA.

FOR WOOD.



					Price.
No.	9-26-Square	, with	Legs.		\$ 27 00
66	9-26 "	6.6	Fancy	Base	27 90

The Low Shelf (as shown in cut) is made so that it will fit either at the back or front of stove as may be desired. The price includes one back Top Shelf and one Low Shelf.

Extra Low Shelves will be supplied, when ordered, at 70 cents each.

BERMUDA.

FOR WOOD.




			Price.
No.	9-26-With Reservoir and	Legs	\$ 35 00
66	9-26- " "	Fancy Base	35 90

The Low Shelf (as shown in cut) is made so that it will fit either at the back or front of stove as may be desired. The above prices include one Low Shelf and back Top Shelf.

Extra Low Shelves will be supplied, when ordered, at 70 cents each.

FLORIDA.

FOR WOOD.



No.	8-20—Sc	quare	with Legs		 	 \$	Pr:	
		_	"				21	55
	9-24—	"	"		 		23	70
44	8-20—	- 66	with Fancy B	ise	 		19	40
"	9-22-	66	" "		 		22	25
66	9 24-	"	" "		 		24	55

The Low Shelf (as shown in cut) is made so that it will fit either at the back or front of stove as may be desired. The above prices include one Low Shelf and one Top Back Shelf.


Extra Low Shelves will be supplied when ordered at following prices:

No. 8-20......4oc. | No. 9-22......5oc. | No. 9-24......6oc.

Prices on page 24 of our 1888 illustrated price list are hereby cancelled.

FLORIDA.

FOR WOOD.



No.	9-22—With	Reservoir	and Legs.		Price.
	9-24- "	6.6			31 85
66	9-22- "	6.6	Fancy	Base	
66	9-24- "	6 6		64	32 70


The Low Shelf (as shown in cut under the Reservoir) is made so that it will fit either at the back or front of stove as may be desired. The above prices include one Low Shelf only.

Extra Shelves will be supplied when ordered at following prices:

No. 9-22.....5oc. | No. 9-24.....6oc.

FLORIDA.

FOR WOOD.




							Pri	ce.
No.	9-22-With	Reservoir	and Close	et,-Legs	s	\$ 3	3 I	10
66	9-24—	- 66	66	66		3	34	10
66	9-22—	66		Fancy	Base	3	31	75
66	9-24-		66	66		3	34	95

Prices on page 25 of our 1888 Illustrated Price List are hereby cancelled.

BRITANNIA.

FOR WOOD.




							Pr	ice.
No.	8	-4	Hole,	Square		\$	19	55
"	99	-4	Hole,	6.6			19	70
66	9	-4	Hole,	66			23	20
66	10	4	Hole,	"			24	00
66	9-10	0-5	Hole,	66	(3 9-inch and 2 10-inch holes)	4	24	50
66	9	-4	Hole,	6.6	Reservoir only		31	40
66	10	-4	Hole,		" "		32	00
66	9-10	0-5	Hole,	66	"		32	65
66	9	-4	Hole,	66	Reservoir and Low Closet	١.	33	60
66	10	-4	Hole,	66			34	30
66	9-10	0-5	Hole,	66	66 66 66		34	75

EXTRAS.

Low Shelf to fit Nos. 9, 10, 9-10 Reservoir only.....

WINNER.

FOR WOOD.



No.	8 — Square	\$	18	80					
66	90— "		19	00					
66	9 — "		20	05					
	9 —Reservoir only		28	60					
	9 —Reservoir add Low Closet		30	30					
EXTRA.									
Low	Shelf to fit No. 9 Reservoir only			50					

THE BURLINGTON

SHEET IRON SURFACE-BURNER.

Mounted With Genuine Russia Iron.

STILL AHEAD FOR 1889.

Has Improved Register in Top Cover to regulate the heat in oven. Has largest Feed Door of any Surface-Burner made.

It is a full Return Flue Stove, the Flues being very wide and convenient for cleaning.

Substantial Deep Fire Pot with Fire Brick Linings, which can be easily removed when repairs are necessary.

Improved Anti-Clinker Draw Centre Grate, always reliable.

Extra large Ash Pan so arranged that it will catch all the ashes, ensuring a perfectly clean base and ash-pit.

The three smaller sizes (Nos. 13, 15, 17) are fitted with spacious Ventilated Ovens, which for baking are equal to any Cook Stove; also a Cast Iron Back Pipe and Tea Kettle Attachment.

The two larger sizes (Nos. 17, 19) are fitted with Extension Tops, giving greatly increased heating surface; also with Double Heating Attachment for heating upper or adjoining rooms, making it a most powerful and successful Double Heater.

It is the most Efficient and Fuel-Saving Heater made; will run twenty-four hours on one hod full of coal.

The design and ornamentation are very artistic and chaste, handsomely and appropriately trimmed with superior Nickel Plate, Mica Illuminations, etc., imparting a beautiful and and attractive appearance and making a very cheerful and serviceable adornment to any apartment.

Three sizes with oven, Nos. 13, 15, 17.

Two sizes with Extension Top, Nos. 17, 19.

Two sizes with Double Heater Attachment, Nos. 17, 19.

BURLINGTON

SHEET IRON SURFACE-BURNER.

MOUNTED WITH GENUINE RUSSIA IRON.




												Pri	ce.
No.	. 13-With	Nickel	Foot Ra	ils and	Nickel	Base					\$	24	95
66	15- "	6.6	66	66		٠.						27	20
66	17- "	6.6	64	66	4	٠.						30	25
66	19- "	66	66	66	•	٠.						41	65
	13- "	"	"	66	Plain	Base						23	25
66	15— "	"	"	"	•	٠.						25	30
66	17- "	"	"	- "	•							28	10
	19- "		"	_ "		٠.						39	
	13—With	Plain I	Base, no	Foot R	ails							21	85
"	15- "			- "								23	
	17- "											26	70
												37	
	NOTE " Bu	rlingtons	" will be	supplied	" with	Nickel	Foot	Rails	and	Nickel	Base "	unl	ess

Note,-"Burlingtons" will be supplied "with Nickel Foot Rails and Nickel Base" unles otherwise ordered.

BURLINGTON.





MOUNTED WITH GENUINE RUSSIA IRON

Price.

No 17 - With Nickel Foot Rails and Nickel Base. \$ 33 55

" 19 - " " " " " 44 75

" 17 - " " " " Plain Base. 31 40

" 19 - " " " 42 40

" 17 - With Plain Base, no Foot Rails. 30 00

" 19 - " " " " 41 00

Note, —" Burlingtons" will be supplied "with Nickel Foot Rails and Nickel Base" unless

JOUNTED WITH GENUINE RUSSIA IRON

Price.

ERATTA.


Cuts on pages 22 and 23 should be transposed. The prices on page 22 are for the Extended Top Stove, represented on page 23; and the prices on page 23 are for the Double Heater represented on page 22.



\$ 34 55 47 10 Plain Base. 32 40 44 75 -With Plain Base, no Foot Rails. 31 00 43 35 NOTE .- "Burlingtons" will be supplied "with Nickel Foot Rails and Nickel Base" unless otherwise ordered.

RITRI.INGTON

SHEET IRON SURFACE BURNER.



ENUINE RUSSIA IRON

BURLINGTON.



MOUNTED WITH GENUINE RUSSIA IRON

Price.

No. 17—With Nickel Foot Rails and Nickel Base. \$ 34 55

"19— " " " " " 47 10

"17— " " " " " 44 75

"19— " " " " 43 35

Note.—"Burlingtons" will be supplied "with Nickel Foot Rails and Nickel Base" unless

otherwise ordered.

THE -

RIVERSIDE OAK

HOT BLAST, SANITARY HEATER.

THE MOST POWERFUL DOUBLE-HEATING AND VENTILATING STOVE MADE.

CFOR D

HARD COAL, SOFT COAL, OR WOOD.

This is an entirely new stove for this season, and it is a wonderful improvement over anything in the line of Direct Draft Heaters ever made, because it furnishes a reliable, and easily understood and applied SYSTEM OF VENTILATION for dwellings, school houses, churches, warehouses, offices, etc., etc.

The VENTIDUCT FLUE by which the cold air FROM THE FLOOR, or fresh cold air FROM OUTSIDE, is taken in at the bottom of stove, (see illustrations on pages 26, 27,) and passed into the cast-iron hot air flue, located inside fire chamber, where it is INTENSELY HEATED AND THOROUGHLY PURIFIED, thence through the register at top of stove into the room, thus creating a continuous circulation and forcing the hot air in the upper part of the room down to the floor, thereby ensuring an even temperature in all parts of the room.

It is very ECONOMICAL having a larger amount of radiating surface to the size of fire-pot, and will heat more space with a given quantity of fuel than any other stove known.

FOR COAL it has the improved anti-clinker grate, with extra large draw center, so that all clinkers can readily be dropped into the ash-pan.

FOR WOOD it is furnished with Double Grate of patent construction (very similar to that used in our "Forest King" Round Heater so well and favorably known to the trade), by which the air from below can be shut off entirely or partially, as may be desired, thus giving absolute control over the fire. No Round Heater for wood will work so economically or successfully, nor give such entire satisfaction as with this grate.

The FIRE POT can be furnished either single or double. Both are extra heavy. The inside pot is made in sections, which can be easily removed. It is the only Oak Stove in this market that is constructed so that the outside fire-pot can be removed and replaced without cutting any rivets. The bolts that connect fire-pot and plate iron section are entirely outside of stove.

The FEED DOOR is very large, and has a spark shield, also a drop apron to prevent smoking when feed door is opened, and also overcomes the danger of wood falling against the front door.

The ASH-PAN is extra large, and is so arranged that all ashes will drop directly into it, thus ensuring a perfectly clean base and ash-pit.


It is a very DURABLE stove, because it is made of the very best materials obtainable, and carefully put together by first-class mechanics. The castings are made heavy so that they will last well under most severe usage; is mounted with smooth heavy plate iron, which is connected to the fire pot with MALLEABLE IRON LUGS.

The very artistic DESIGN and ORNAMENTATION are beautifully embellished with Superior Nickeled Trimmings and Burnished edges, producing a very handsome effect.

It can be furnished with wrought iron guard rail entirely around the stove, instead of the side foot rails, a very desirable feature, and most convenient for use in schools, warehouses, stores, hotels, etc.

FOR HARD COAL, SOFT COAL, OR WOOD.

WITH VENTIDUCT-(PATENT PENDING).



Note.—This style will always be sent, fitted for Wood only, with Single Fire Pot, unless otherwise ordered.

FOR HARD COAL, SOFT COAL, OR WOOD.

WITH VENTIDUCT—(PATENT PENDING). This illustration shows the Ventiduct Flue from the "Cold Air Attachment" at bottom, up through the Fire Chamber to D SMOKE PIPE the "Hot Air Attachment" at top. 2 2

Our customers will please note that the castings of the "Riverside Oaks" are of good substantial weight a very important feature in this class sufficient to make them last well under the most severe usage, which is For prices see page 26. of stove.

FOR HARD COAL, SOFT COAL, OR WOOD.

WITH VENTIDUCT—(PATENT PENDING).

25 70 inches. 4,895	HOT AIR SMOKE PIPE	tended so as nt this style, stove can be store, and
Nos. 23 24 25 59 inches, 64 inches, 70 inches 3,139 3,810 4,895		except that it is ext in order if you wan on page 26. This s desired, for hotel,
	3 4	on preceeding page ce. Always mention lways send as shown tead of side rails, i
Height from Floor to Base of UrnRadiating Surface in square inches	H 2	This is the same stove that is shown on preceeding page, except that it is extended so as to add very largely to its radiating surface. Always mention in order if you want this style, had with wrought iron guard rail, instead as shown on page 26. This stove can be warehouse purposes. Far prices con the warehouse purposes.
Height fro	2 H	This is the sam to add very largely as if extension is had with wrought
	H 100	
	H G	

warehouse purposes For prices see page 26.




This illustration shows the front view of the "Riverside Oak." The cut on page 26 shows side view of same stove, and also illustrates the current of air to Hot Air Flue from the floor, and out at the top through Swing Cover into the room.

For prices see page 25.

WITH VENTIDUCT-(PATENT PENDING).

FOREST QUEEN.

WITH PATENT COMBINATION GRATE FOR WOOD.



EXTRA.

Improved Anti-Clinker Draw Centre Grate, for burning either hard coal, soft coal, or coke.....

75

Note.—The price of "Forest Queen" includes one Grate, either for Wood or Coal. The Wood Grate will always be supplied unless otherwise ordered. If both grates are required we charge extra for the Coal Grate as above.

VENUS FRANKLIN.

FOR HARD OR SOFT COAL.




		Price.
No. 132-With	Tile Ornamentation and Nickeled Base	\$ 16 35
" 132-Plain	Finish	14 65

EMPIRE LAUNDRY HEATER.

FOR COAL.

CAPACITY 18 SAD IRONS.

(Nine around body of Stove and nine on top.)



This is the most convenient, economical, and cheapest Laundry Heater made, it has a large flat top, with two 8 inch Kettle Holes and Short Centre, and large Oval Hole for Wash Boiler. Dumping Grate. Fire-Brick lined. Is perfectly mounted, heavy and durable.

No.—..... \$ 7 75

EMPIRE TAILORS' HEATER.

FOR COAL.

CAPACITY 15 IRONS.

(Nine around body of Stove and six on top.)

This is the same stove as our "Empire Laundry Stove" on page 32, with the upper section of pot lengthened to accommodate Tailors' Irons. It is the cheapest and most convenient Tailors' Heater in the market.

No.—..... \$8 15

"SUPERIOR" HOLLOW-WARE

EXTRA FINISHED.

A Set consists of two Straight Pots and one Spider.

SUPERIOR LONG POT.

SUPERIOR SHORT POT.





SUPERIOR SPIDER.



This "Superior" Hollow-ware has been gotten up to meet the demand for a better class of Ware than has hitherto been offered in this market. Extra fine polish inside; extra smooth outside; not painted; equipped with improved check and side bails.

See next page for prices.

"SUPERIOR" HOLLOW-WARE

EXTRA FINISHED.

COMPLETE SET.

One Long Pot, One Short Pot, One Spider.

No.	8per set.	\$ 1	68
	Sales requirements and an arrangement of the sales of the		
	"SUPERIOR" LONG POT.		
No.	8each.	\$	77
	"		84
	"SUPERIOR" SHORT POT.		
No.	8each.	\$	62
66	9"		74
	"SUPERIOR" SPIDER.		
No.	8each.	\$	30

ORDINARY FINISHED.

COMPLETE SET-STRAIGHT.

One Long Pot, One Short Pot, One Spider.

No.	7per	set.	\$ 1	30
6.6	8	66	I	53
4.6	9	6 6	I	82
6.6	10	66	2	06

COMPLETE SET—BELLIED.

One Bellied, One Straight Pot, One Spider.

No.	7per set.	\$ 1	40
6 6	8	I	68
66	9	I	93
6.6	10 "	2	18

STRAIGHT POTS.



No.	7each. \$	52
66	8	63
4.6	9	73
6.6	10	81


(CONTINUED.)

BELLIED POTS.



No.	7 each.	\$ 61
	9	76
66	10	93

SPIDERS.



No.	7each.	26
66	o	20
	8	20
6.6		29
	9	36
	9	30
• • •	10	
		44

LONG PANS.



No.	8each.	\$ 52
"	9	64
	10	80

(CONTINUED.)

CAST TEA KETTLES.



No.	7each.	\$ 57
66	8	70
66	9	84
66	10	99

SCOTCH BOWLS.



No.	Ieach	\$ 33
66	2	41
66	3	47
	4	
	5	64
	6	72
	U	12

(CONTINUED.)

YANKEE BOWLS.



No.	. 2	anch d	
		acacii. 1	41
	3		17
66			4/
	4		56
6			5
	5		64

GRID IRON.



No.	8each. \$	40
6.6	9	


ROUND CAKE GRIDDLES.



No.	· 7·····.each.	\$	22
6.6	8"	Ψ	31
6.6	9"		30
66	10		39
			4/

(CONTINUED.)

HAM BOILERS.



ROUND POTATO BOILER.

In 8each. \$

GEM PANS.

No. 1, OVAL, 11 CUP.



No. 2, LARGE ROUND.



No. 3, SMALL ROUND.




GEM PANS.

(CONTINUED.)


No. 4, FRUIT.



No. 5, SQUARE.




No. 6, OVAL, 8 CUP.




GEM PANS.

(CONTINUED.)

No. 7, ROUND, SQUARE BOTTOM CORNER.




No. 8, DEEP ROUND, CORN CAKE.



VIENNA ROLL.



VIENNA BREAD.



Gem Pans, Nos. 1 to 7 inclusiveper	doz.	\$ 3 20
" " No. 8	66	3 60
Vienna Roll Pans	66	3 20
Vienna Bread Pans	66	3 20

(CONTINUED.)

AMERICAN WAFFLE IRON.



With Wood Handles.

No.	8.	For	No.	8	or	9	Stove	.each.	\$	75
66	0.	For	No.	q	or	IO	Stove	. 66	I	00

No burning fingers. Always ready for use. The most complete round iron in the market.

MISCELLANEOUS.

VENTILATOR THIMBLE ENDS.

				,	
7 inch			66 66	2	75
	THURS PRINCE	SEC. LANGER			
	REDUCING 1	RINGS.			
*					80
10 to 9				2	15
	CAST FIRE SI	HOVELS.			
Japanned		• • • • • • • • • • • • • • • • • • • •	per doz.	\$	80
			120-		
	CHAND CAND				
	STOVE COVER	LIFTERS.			
Excelsion, Japanned				\$	60
				-	75
					13
		THEODER SEASON			
	TINSMITHS' FII	RE POTS.			
All Cost Torr				•	
All Cast Iron				\$ 2	00
		The state of the s			
	TIN STOVE FUL	RNITURE.			
No. 7				\$ 4	
					67
66 0				pa .	22

MISCELLANEOUS.

(CONTINUED.)

TROY POLISHING IRON.

Polished and Japanned.....each. \$

SAD IRONS.

4, 5, 6, 7, 8, 9 and 10 Pounds.

TAILORS' IRONS.

10, 12, 14, 16, 20, 25 and 30 Pounds.


Polished and Japanned.....per pound. \$

SAD IRON STANDS.

COFFEE POT STANDS.

Improved Crown Damper

NICKEL PLATED.



6 inch......per doz. \$ 1 70

Damper Attachment.



FOR FURNACE PIPE.

SQUARE SINKS.									
N. C.	Painted.	Galvanized.	Enamelled,						
27 x 15—5 inches deepeach		\$ 3 60	\$ 4 20						
18 x 12—6 " " "	1 00	2 35	3 50						
20 x 14 -6 " " "	1 05	2 75	3 60						
24 x 16-6 " " "	1 30	3 40	4 00						
24 x 18—6 " " "	1 40	3 60	4 20						
25 x 15-6 " " … "	1 30	3 50	4 00						
30 x 18—6 " " "	1 70	4 40	4 80						
30 x 20 -6 " "	2 00	5 50	5 10						
36 x 18-6 " " "	2 25	6 10	5 60						
36 x 22 - 6 " " "	2 90	7 85	6 50						
38 x 20—6 " " "	3 00								
42 x 22—6 " "	3 20								
48 x 20—6 " " "	4 00								
OVERFLOW SI	NKS.								
	Painted.		Enamelled.						
Add to list of Square Sinks "	00	80	80						
If with Plug and Strainer, add to list "	1 00	1 10	I 20						
	•								
CORNER SIN	KS.								
	Painted.	Galvanized.							
17 in x 25 in. x 4½ in	1 25	2 80	4 00						
20 in. x 28 in. x 6 in	1 75	3 70	4 80						
With Plain Ba	cks.								
an in war in wall/in	Painted.	Galvanized	Enamelled.						
17 In. x 25 In. x 4/2 In	4 00	8 00	13 50						
20 III. X 20 III. X 0 III	3 00	10 00	15 00						
If with Overflow, add "	1 00	1 00	I 00						
The state of the s									
SLOP SINK	S.								
of the in deep	Painted.		Enamelled.						
10 x 10—10 m. deep	2.30	5 00	4 20						
10 x 10—10 m. with Den Trap	2 40	5 15	4 40						
26 X 14—12 III.	2 90	6 00	5 20						
Add to list for Overflow	95	95 1 05	95 I 20						
ring and offamel	1 00	105	1 20						

SINK FITTINGS.

Couplings, Strainers, Bolts, etc., at low prices.

Prices on page 90 of our 1888 Illustrated Price List are hereby cancelled.

In addition to our extensive line of "Superior" Stoves, Ranges, Hollow-ware, etc., we manufacture and carry in stock a complete assortment of Goods and Material of all kinds required by the trade

TIN PLATE, CANADA PLATE, BLACK SHEET IRON,
TINNED SHEET IRON, GALVANIZED IRON,

RUSSIA IRON, SHEET COPPER,

BAR COPPER, BLOCK TIN, WIRE, RIVETS, KETTLE EARS, LTC.

TINSMITHS' TOOLS AND MACHINES,

BEST OF CANADIAN AND AMERICAN MAKES.

AMERICAN AGATE, PEARL AGATE,

PERFECTION GRANITE, AND WHITE ENAMELLED WARES.

PRESSED, STAMPED AND SPUN-WARES, AND

TINNERS' TRIMMINGS OF ALL KINDS.

PIECED TINWARE,

JAPANNED WARE, COPPER AND BRASS WARE.

GALVANIZED AND SHEET IRON WARE,


WIRE GOODS, SPOONS, FORKS, ETC.

MILK CAN, CREAMER AND GENERAL DAIRY TRIMMINGS,
CRYSTALIZED STOVE BOARDS.

STOVE PIPE ELBOWS, CONDUCTOR ELBOWS,

AND GALVANIZED IRON EAVE TROUGH.

STOVE POLISH, PIPE VARNISH, MICA, ETC., ETC. ETC.





"SUPERIOR" STOVES AND RANGES

EFFICIENCY, DURABILITY,

AND FINISH.