DRONTO

Stable Equipment Price List

September 15th, 1918



ONTARIO WIND ENGINE AND PUMP CO. LIMITED

HEAD OFFICE - TORONTO

Branches:

MONTREAL - WINNIPEG - REGINA
CALGARY

STANCHIONS (Painted Only)

Toronto Giant Adjustable Stanchion, in-		
cluding Sure-Stop, top and bottom chains		
and clips for wood or cement, as required	\$ 6.	50
The Circle Adjustable Standblon with	φ 0.	30
Toronto Giant Adjustable Stanchion, with	6	05
fittings as above, but less Sure-Stop	0.	25
Toronto Giant Adjustable Stanchion only,	_	
less clips	5.	75
Toronto Sure-Lock Stanchion, including top		
and bottom chains and clips		75
Toronto Sure-Lock Stanchion only, less clips	2.	25
isu sun no fields ion on cumosen-		
STEEL STALLS		
m . II 's BT 1 A directable Chall implied		
Toronto Unit No. 1 Adjustable Stall, includ-	411	F0
	\$11	. 50
Toronto Unit No. 2 Adjustable Stall, includ-	rods	
ing Sure-Lock Stanchion.	7	.75
Toronto Unit No. 3 Non-Adjustable Stall,		
including Giant Adjustable Stanchion	10	. 25
Toronto Unit No. 4 Non-Adjustable Stall,		
including Sure-Lock Stanchion	6	.50
Toronto Universal No. 5 Steel Stall, with		
Giant Adjustable Stanchion, single	11	00
Toronto Universal No. 5 Steel Stall, with		. 00
Toronto Universal No. 5 Steel Stan, with	20	.50
Giant Adjustable Stanchion, double	20	. 50
Toronto Universal No. 6 Steel Stall, with	100	0.5
Sure-Lock Stanchion, single	ton't	. 25
Toronto Universal No. 6 Steel Stall, with		00
Sure-Lock Stanchion, double		.00
For Galvanizing Single Stalls, add, each		.35
For Galvanizing Double Stalls, add, each	2	.70
N.BIf Stanchion Sure-Stop is not required		
on Stalls Nos. 1, 3 and 5, a deduction of		
25 cents may be made from the price.		
waiteannes of will discovere were accurate too		
CALF AND COW PENS AND		
the state of the s		
ATTACHMENTS		
Toronto Bull and Cow Pens, with spindle		
siding, uprights spaced 6" apart, 5' high		
(Painted)per foot	\$ 3	.50
Toronto Bull and Cow Pens, with spindle		
siding, uprights spaced 6" apart, 5' high	speci	
(Galvanized)per foot	4	.50
(Continued), It is in the continued of t		

COW AND CALF PENS AND ATTACHMENTS (Continued)

(Continued)	
Toronto Bull or Cow Pen Manger, tilting	
(Galvanized only)	15.00
Toronto Bull or Cow Pen Rack (Painted)	15.00
Toronto Bull or Cow Pen Rack (Galvanized)	18.50
Toronto Bull or Cow Pen Gate and Fittings,	10.30
3' 6" space (Painted)	15.00
Toronto Bull or Cow Pen Gate and Fittings,	15.00
3' 6" anges (Colors in 1)	age
3' 6" space (Galvanized)	18.50
Toronto Can Pen, spindle siding, with up-	
rights every o' (Painted)per foot	2.75
Toronto Calf Pen, spindle siding, with uprights every 6" (Painted) per foot Toronto Calf Pen, spindle siding, with up-	
rights every 6" (Galvanized)per foot Toronto Calf Pen, Stanchion front (Painted)	3.50
Toronto Calf Pen, Stanchion front (Painted)	
···· per foot	3.50
Toronto Calf Pen, Stanchion front (Gal-	ardile
vanized) per foot Shifting and Locking Lever for Stanchion	4.50
Shifting and Locking Lever for Stanchion	7.50
Front (Painted). Shifting and Locking Lever for Stanchion	6.00
Shifting and Locking Lever for Standhian	0.00
Front (Galvanized)	7 00
Front (Galvanized)	7.00
(Pointed)	
(Painted) Calf Pen, Gate and Fittings, 3' 6" space (Galvanized)	7.50
Call Pen, Gate and Fittings, 3' 6" space	
(Galvanized)	10.00
TORONTO WATER BOWLS	
Toronto Double Water Bowl (Galvanized).	\$ 3.00
Toronto Double Water Bowl (Painted)	2.50
Toronto Single Water Bowl (Galvanized)	2.50
Toronto Single Water Bowl (Painted)	2.00
Toronto Regulating Tank (Galvanized),	0 000
with 1" Ball Valve and Ball	7.50
Toronto Regulating Tank (Galvanized),	7.30
with 3/4" Ball Valve and Ball	6.50
1 id for Peguloting Tomb	6.50
Bell Volve and Bell and 1//	1.25
Pall Value and Ball only, 1	4.00
Ball Valve and Ball only, 1" Ball Valve and Ball only, 34"	3.00
	e go I
SUPPORTING COLUMNS (Painted O	niy)
3½" O.D	\$ 1.15
4½ U.D. per foot	1 50
5½" O.D. per foot Supporting Columns, Caps and Bases, 6"	2.25
Supporting Columns, Caps and Bases, 6"	
squareeach	.75
-	.10

SUPPORTING COLUMNS (Continue	ed) 00
Supporting Columns, Caps and Bases, 8"	.95
squareeach	.93
MISCELLANEOUS	
Toronto Finished End (Painted)each	\$ 3.00
Toronto Finished End (Galvanized)each	4.00
Toronto Alley Gate and Fittings, for 3' 6" space (Painted)each	8.75
For each 6" extra width, add	1.25
For each 6" extra width, add	INGTO S
space (Galvanized)each	9.75
For each 6" extra width, add	1.70
(Painted)each	1.75
(Painted)each Triple Bend Division for Adjustable Stall	2.25
(Galvanized) each Triple Bend Division for Non-Adjustable	2.23
Stall (Painted)each	1.50
Stall (Painted)each Triple Bend Division for Non-Adjustable	OTAL PARTY
Stall (Galvanized)each	2.00
SUNDRIES	
Steel Tubing, 1 9/10" O.D. (Painted)	
Steel Tubing, 1 9/10 O.B. (Tuniced)per foot	\$0.28
Steel Tubing, 1 9/10" O.D. (Galvanized).	
Steel Tubing, 1 5/8" O.D. (Painted)	.32
Steel Tubing, 13/8 O.D. (Fainted) per foot	. 23
Steel Tubing, 1 5/8" O.D. (Galvanized)	Toront
Tee Clamps, 1 5/8" (Painted) each	. 27
Tee Clamps, 1.5/8" (Painted)each	. 55
Tee Clamps, 1 5/8" (Galvanized)each Tee Clamps, 1 9/10" (Painted)each	. 55
Tee Clamps, 1 9/10" (Galvanized)each	.65
Floor Plate or Cement Anchor for Triple	.70
Bend A-98each Wall Bracket, 1 5/8" or 1 9/10"each	.50
Top Stanchion Clip for Sure-Lock Stanchion, 1 5/8" and 1 9/10"each	
1 5/8" and 1 9/10"each	. 50
Top Stanchion Clip for Giant Stanchion, 1 5/8", for Unit Stallseach	.50
Bottom Stanchion Clip for Wood or Cement	
each	.50
Lock for Alley Gate (Painted)each	1.00
Page Four	

SUNDRIES (Continued)				
Lock for Alley Gate (Galvanized)each 1.10				
Corner Clamps No. 4 (Painted), for 1 9/10"				
Tubing each 60 Corner Clamps No. 4 (Galvanized), for				
Corner Clamps No. 4 (Galvanized), for				
1 9/10" Tubingeach .70				
1 9/10" Tubing each 70 Corner Clamps No. 4 (Painted), for 1 5/8" Tubing each 55 Corner Clamps No. 4 (Galvanized), for				
Tubingeach .55				
Corner Clamps No. 4 (Galvanized), 101				
1 5/8" Tubing each Four Way Tee Clamps No. 5 (Painted), for 1 9/10" Tubing each Four Way Tee Clamps No. 5 (Galvanized), Four Way Tee Clamps No. 5 (Galvanized),				
1 0/10" Tubing				
Four Way Tee Clamps No. 5 (Galvanized),				
Four Way Tee Clamps No. 5 (Painted), for				
1 5/8" Tubingeach .90				
Four Way Tee Clamps No. 5 (Galvanized),				
for 1 5/8" Tubingeach 1.05				
Four Way Corner Tee Clamps No. 10 (Painted), for 1 9/10" Tubingeach 1.10				
Four Way Corner Tee Clamps No. 10 (Gal-				
vanized), for 1 9/10" Tubingeach 1.25				
Four Way Corner Tee Clamps No. 10				
Four Way Corner Tee Clamps No. 10 (Painted), for 1 5/8" Tubingeach 1.00				
Four Way Corner Tee Clamps No. 10 (Gal-				
vanized) for 1 5/8" Tubing each 1.15				
Filler for End of Tubing, 1 9/10"each 25 Filler for End of Tubing, 1 5/8"each 25				
Filler for End of Tubing, 1 5/8" each .25				
LITTER AND FEED CARRIERS AND				
FLOOR TRUCKS				
151 Toronto Litter Carrier Bucket, Bail and Wind-				
lass completeeach\$48.40 212				
A 151 Toronto Litter Carrier				
Bucket onlyeach 23.25 93				
B 151 Toronto Litter Carrier				
Bail onlyeach 6.15 25				
C 151 Toronto Litter Carrier				
Windlass onlyeach 19.00 94				
168 Toronto Feed Carrier,				
wood box one end sloped, not to raise and				
lower, with hanging				
irons and trucks, com-				
pleteeach 31.50 1243/4				
Page Five				

LITTER AND FEED CARRIERS AND FLOOR TRUCKS (Continued)

	THOCKS (Continued)
Style No.	Price Weight
A 168	Toronto Feed Carrier,
	wood box, two ends
	sloped, not to raise and
	lower, with hanging
	irons and truck, com-
	nons and truck, com-
0 100	pleteeach 32.80 124
C 168	Toronto Feed Carrier,
	wood box, one end
	sloped, to raise and
	lower, with hanging
	irons and windlass, com-
	pleteeach 40.85 1743/4
C-B 151	Toronto Feed Carrier.
Tracks Ide	Toronto Feed Carrier, windlass onlyeach 19.00 85
B 168	Toronto Feed Carrier,
D 100	wood how two ends
	wood box, two ends sloped, to raise and
	lower, with hanging
	lower, with hanging
	irons and windlass, com-
00 t	pleteeach 42.10 1743/4
C 167	Toronto Feed Carrier,
	steel box, two ends
	sloped, not to raise and
	lower, with hanging
	irons and truck, com-
	pleteeach 53.20 149
B 167	Toronto Feed Carrier,
tdaia/We as	steel box, two ends
	sloped, not to raise and
	lower, with hanging
	irons and truck, com-
A 167	pleteeach 56.40 158
A 167	Toronto Feed Carrier,
	steel box, one end
	sloped, to raise and
	lower, with hanging
	irons and windlass, com-
	pleteeach 62.55 205½
A-B 167	
	steel box, two ends
	sloped, to raise and
	lower, with hanging
	irons onlyeach 46.75
	nons only cach 40.75
n n.	

LITTER AND FEED CARRIERS AND FLOOR TRUCKS (Continued)

Price Weight

Style No.

Style IVO.	Thee weight		
167	Toronto Feed Carrier,		
	steel box, two ends		
	sloped, to raise and		
	lower, with hanging		
	irons and windlass, com-		
	pleteeach 65.75 2151/4		
169	Toronto Feed Floor Truck,		
	20 busheleach 39.10 244		
A 169	Toronto Platform Floor		
	Truck onlyeach 30.40 156		
E 169	Toronto Feed Floor Truck		
	Shelvings onlyeach 8.90 88		
A-B 169	Toronto Platform Floor		
	Truck, complete with		
	stakeseach 27.53 170		
170	Toronto Milk Can Con-		
	veyor, to raise and		
	lower, with windlass,		
	frame and hanging irons		
	completeeach 29.00 144½		
D 170	Toronto Raise and Lower		
	Milk Can Conveyor		
	Milk Can Conveyor Frame, onlyeach 10.05		
A 170	Toronto Milk Can Con-		
	veyor, not to raise and		
	lower, with truck, frame		
	and hanging irons, com-		
	pleteeach 15.25		
A-B 170	Toronto Overhead Con-		
	vevor, double truck		
	veyor, double truck onlyeach 9.65		
A-C 170	Toronto Overhead Con-		
	veyor, single truck and		
	hanging ironseach 4.55		
	composete		
	G 36 Toronto Extension		
LITTE	R CARRIER TRACK AND TRACK		
ATTACHMENTS			
Style No.	Price Weight		
	Toronto Litter Corrier		

Styl	e No.		Price W	eight
A	157	Toronto Litter Carrier Track onlyper foot		17/8
В	157	Toronto Litter Carrier Couplingseach	.36	7/8

Page Seven

LITTER CARRIER TRACK AND TRACK ATTACHMENTS (Continued)

Ctrv1				Weight
Style	No. 157	Toronto Litter Carrier	File	weight
	107	Track, with couplings		
		per foot	.28	2
	161	Toronto Track Hanger,	ai .	1/
3181	27	with bracket each	.41	1 1 1/2
G	10	Toronto Track Hanger	21	1 1/5
G	32	onlyeach Toronto Track Hanger		
4	34	Bracket onlyeach	.10	1/3
	160	Toronto Extension	TOT 0	ar s
		Hanger, including		
		hanger extension rod, 2"		
		to 6", and bracket, com-	1	12/
308	160	plete	.46	13/4
A	100	Toronto Extension Hanger, including		
		hanger extension rod, 6"		
		to 10", and bracket,		
		complete	.50	2
B	160	Toronto Extension		
		Hanger, including		
		hanger extension rod,		
		10" to 15", and bracket, complete	55	2 1/3
C	160	Toronto Extension	. 33	2 1/3
	100	Hanger, including		
		hanger extension rod,		
		15" to 20", and bracket,		A-B 17
_	160	complete	.60	25/8
D	160	Toronto Extension		
		Hanger, including hanger extension rod,		
		20" to 25", and bracket,		
		_ complete	.65	3
G	36	Toronto Extension		
N.		Bracket onlyeach	.12	1/4
A-D	160	Toronto 2" to 6" Hanger		
		Extension Rod only	.05	3/8
A-B	160	Toronto 6" to 10" Hanger	.03	78
	100	Extension Rod only		
		each	.10	5/8
		AND ADDRESS OF THE PARTY OF THE		

LITTER CARRIER TRACK AND TRACK ATTACHMENTS (Continued)

Style	e No.		Price	Weight
A-C		Toronto 10" to 15" Hanger	- 1100	Weight
		Extension Rod only	-	
			.15	15/16
B-A	160	Toronto 15" to 20" Hanger		,
		Extension Rod only		
			.20	11/4
C-A	160	Toronto 20" to 25" Hanger		-/4
		Extension Rod only		
		each	.25	11/2
A	161	Toronto Pole Track		-
		Hanger, with bolt, com-		
		plete, only each	.52	17/8
A-B	161	Toronto Pole Track		-7.0
		, Hanger Bolt only each	.16	5/8
В	159	Toronto Two Way Grav		, 0
		Iron Switch, complete		
		each	6.40	29
C	159	Toronto Three Way Gray	0	-
		Iron Switch, complete		
		each	8.74	403/4
F	159	Toronto Three Way	0.,,	10/4
		Switch Hingeeach	.55	7/8
	166	Toronto Lift Out Section,	.00	/8
		3' long, with attach-		
		ments, complete each	2.40	3
		ments, completeeach For each inch over 3', add	2.10	Č
		per inch	.05	
	158	Toronto Swing Pole Hinge,	.00	
		completeeach	7.80	18
A	158		7.00	10
A	130	Toronto Swing Pole Track	0.40	
	234	Hingeeach	2.40	4
	254	Toronto Guy Rods, 1/2"		
		round iron, threaded at		
		one end, with nut and		
		washer, loop on other	10	2/
	235	endper foot	.12	3/4
	233	Toronto Pole Guy Rod		
		Plate Hook, complete	1 10	
	026	Toronto Swing Pole Guy	1.40	4
	236	Poronto Swing Pole Guy		
		Rod Plate Bolt and	1 75	
	027	Cleviceeach	1.75	
	237	Toronto Hanger Bracket		
		Nails per lb.	.15	